

MIT OpenCourseWare
<http://ocw.mit.edu>


5.04 Principles of Inorganic Chemistry II
Fall 2008

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.

Chemistry 5.04 (F08)
Problem Set 1

Due Friday, 19 September

1. Determine the general matrix rep for a σ_v at angle α from the xz plane on a point (x_1, y_1, z_1) at angle θ from the xz plane. Provide matrix reps for the $3\sigma_v$ in C_{3v} .
2. Consider the generators C_5 and σ_h .
 - a. What group is generated from these two operations?
 - b. Construct a multiplication table.
 - c. Determine the classes in the group.
 - d. Do C_5 and σ_h commute? Show both by matrix algebra and by operating on a vector (x_1, y_1, z_1) .
3. Do the following problems in Cotton (3rd edition): A3.2, A3.4, 4.4 and 4.7.
4. Consider the trigonal planar molecule, BF_3 . Use the three fluorine atoms as an arbitrary basis set to describe the matrix representation for each of the operations in the point group (relying on the methods employed above, solve the appropriate eigenvalue problem).



- a. Construct the matrix representations for the operations in the D_{3h} point group.
- b. Find the three eigenvalues λ_i and normalize the eigenvectors for the C_3 matrix representation (*Hint: The eigenvectors are orthogonal to each other. For complex eigenvectors, remember that the normalization is defined as A^*A where A^* is the complex conjugate*).
- c. Construct the similarity transformation matrix \mathfrak{D} from the eigenvectors and determine \mathfrak{D}^{-1} . For the case where the eigenvectors are complex, take linear combinations to yield eigenvectors in real space. \mathfrak{D}^{-1} is the adjoint of \mathfrak{D} divided by the determinant. See pg 424 in Cotton for the definition of an adjoint.

- d. Using \mathbf{D} and \mathbf{D}^{-1} block-diagonalize the matrices in Part (a) and calculate the characters of the irreducible representations for the given basis.
- e. To what irreducible representations do the F atom basis functions belong?
- f. Complete the D_{3h} character table using the algebraic rules governing irreducible representations. Show work.