

D-Lab Development

2009.10.07

Jim Bales | Strobe Lab in Edgerton PHOTOVOLTAIC SYSTEMS

- Knows about underlying physical processes of what goes on in voltaics

- Built underwater submarines to explore ocean (past exp.)

"There are no good batteries"

- Units of power - WATTS




Typical D-Lab Watts Projects

lightbulb	20-100W
cellphone	4W Hr (I missed this explanation)
microwave	800 - 1500W
fridge	100 - 400W
computer	100-300W
Motor	

Solar Resource

Ideally: 1000W sq/m @ high noon
Hard to actually achieve because of efficiency levels (6-20%)



Direct Current

good for transferring

Alternating Current

Available Power -> What you can get out of it

Links for SOLAR RESOURCE of various locations on Earth ... <http://???>

Annual / Monthly / Daily

Avg. (W/hr)/Day of installation

Panel Efficiency specified as

Peak Power @ Area

at 1,000 w/sq. meters at AM 1.5

(typical of Europe & North America)

Supply Side UP

Demand Side Down

Appliance Power Level	Hours/Day Used	Energy/Day
Fridge 100W	24	2400Whr
Cellphone		8Whr
Microwave	1	800Whr
		3208 Whr

This is the amount that must be produced on avg

1. Know/Ask Daily Demand

2. Specify Longest blackout I can endure

Info: Forms:

battery must hold avg. use daily x days of blackout

IDEAL BATTERY (a bomb)

- small
- lightweight
- lots energy

EXCEPT: we want to extract the energy slowly



THEFT/ the biggest issue with installing solar panels
depends on where you are

computer 100-300W
Motor

Solar Resource

Ideally: 1000W sq/m @ high noon

Hard to actually achieve because of efficiency levels
(6-20%)

MIT OpenCourseWare
<http://ocw.mit.edu>

EC.701J / 11.025J / 11.472J D-Lab I: Development
Fall 2009

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.