


1. (a) For a diffraction limited system the slopes of the OTF are constant.

$$m|_{u=25\text{mm}^{-1}} = 68.75\% = 0.6875$$



$$I_{\text{in}} = \frac{1}{2} \left[1 + \cos \left(2\pi \frac{x}{\Lambda} \right) \right]$$

$$\Rightarrow \hat{I}_{\text{in}} = \frac{1}{2} \delta(u) + \frac{1}{4} \delta \left(u - \frac{1}{\Lambda} \right) + \frac{1}{4} \delta \left(u + \frac{1}{\Lambda} \right)$$

$$\hat{I}_{\text{out}} = \hat{I}_{\text{in}} \cdot \text{OTF} = \frac{1}{2} \delta(u) + \frac{a}{4} \delta \left(u - \frac{1}{\Lambda} \right) + \frac{a}{4} \delta \left(u + \frac{1}{\Lambda} \right)$$

$$I_{\text{out}}(x') = \frac{1}{2} \left[1 + a \cos \left(2\pi \frac{x'}{\Lambda} \right) \right]$$

$$m|_{u=\frac{1}{\Lambda}} = \frac{\left(\frac{1}{2} + \frac{a}{4} \right) - \left(\frac{1}{2} - \frac{a}{4} \right)}{\left(\frac{1}{2} + \frac{a}{4} \right) + \left(\frac{1}{2} - \frac{a}{4} \right)} = a$$

\therefore the contrast is the normalized value of the OTF at that frequency. Using similar triangles, if $m|_{u=25\text{mm}^{-1}} = 0.6875 = (1 - 0.3125)$, then

$$m|_{u=50\text{mm}^{-1}} = (1 - 0.6250) = 0.3750 = \boxed{37.5\%}$$

- (b) The cut-off frequency for incoherent imaging is $u_0 = 80\text{mm}^{-1}$. The cut-off frequency of the coherently illuminated system is 40mm^{-1} . Hence 50mm^{-1} frequencies do NOT go through if it is coherently illuminated.
- 2.

$$I(x) = \frac{1}{2} \left[1 + \frac{1}{2} \cos \left(2\pi \frac{x}{40\mu\text{m}} \right) + \frac{1}{2} \cos \left(2\pi \frac{3x}{40\mu\text{m}} \right) \right]$$

- (a) The contrast m is given by:

$$m = \frac{I_{\text{max}} - I_{\text{min}}}{I_{\text{max}} + I_{\text{min}}}$$

At the input, $m = \frac{1-0}{1+0} = 1$.

(b) The Fourier transform of $I(x)$ is:


$$\tilde{I}(u) = \frac{1}{8} \left[\delta\left(u - \frac{1}{40}\right) + \delta\left(u + \frac{1}{40}\right) + \delta\left(u - \frac{3}{40}\right) + \delta\left(u + \frac{3}{40}\right) \right] + \frac{1}{2}\delta(u)$$

The Fourier transform of the output intensity is:


$$\begin{aligned} \tilde{I}_0(u) &= (\text{MTF}) \cdot \tilde{I}(u) \\ &= \frac{1}{2}\delta(u) + (0.25)\frac{1}{8} \left[\delta\left(u - \frac{1}{40}\right) + \delta\left(u + \frac{1}{40}\right) \right] \\ &= \frac{1}{2}\delta(u) + \frac{1}{16} \left[\frac{1}{2}\delta\left(u - \frac{1}{40}\right) + \frac{1}{2}\delta\left(u + \frac{1}{40}\right) \right] \end{aligned}$$

$$I_0(x') = \frac{1}{2} + \frac{1}{16} \cos\left(2\pi \frac{x'}{40}\right)$$

$$m_{\text{out}} = \frac{\left(\frac{1}{2} + \frac{1}{16}\right) - \left(\frac{1}{2} - \frac{1}{16}\right)}{\left(\frac{1}{2} + \frac{1}{16}\right) + \left(\frac{1}{2} - \frac{1}{16}\right)} = \frac{1}{8} = 0.125$$



(c) The incoherent transfer function is an autocorrelation of the coherent transfer function. The coherent transfer function in this case is probably a triangle function with half the cut-off frequency.



$$H(u) = \mathcal{F}\{h(x)\}$$

3.


$$h(x) = \text{sinc}^2\left(\frac{x}{b}\right)$$

(a) Incoherent iPSF


$$\tilde{h}(x) = |h(x)|^2 = \text{sinc}^4\left(\frac{x}{b}\right)$$

(b) MTF = $|\tilde{H}(u)|$

$$\begin{aligned} \tilde{H}(u) &= \mathcal{F}\{\tilde{h}(x)\} = \mathcal{F}\left\{\text{sinc}^2\left(\frac{x}{b}\right) \cdot \text{sinc}^2\left(\frac{x}{b}\right)\right\} \\ &= \mathcal{F}\left\{\text{sinc}^2\left(\frac{x}{b}\right)\right\} \otimes \mathcal{F}\left\{\text{sinc}^2\left(\frac{x}{b}\right)\right\} \\ &= b\Lambda(bu) \otimes b\Lambda(bu) \end{aligned}$$



$b\Lambda(bu)$



MTF

Problem 4:

a) Consider the system shown in Figure 1. The input transparency is a binary amplitude grating with the following parameters: $m = 1$, duty cycle = $\alpha = 1/3$, $\Lambda = 10\mu\text{m}$. The operating wavelength is $\lambda = 0.5\mu\text{m}$, and the focal lengths are $f_1 = f_2 = f = 20\text{cm}$. At the Fourier plane, the pupil mask has two apertures with a diameter of 1cm shifted 2cm from the optical axis.

We begin by expressing the binary amplitude grating in a Fourier Series,

$$g_t(x) = \alpha \sum_{q=-\infty}^{\infty} \text{sinc}(\alpha q) e^{i2\pi q \frac{x}{\Lambda}}. \quad (1)$$

Since equation 1 has a binary amplitude dependence that goes from 0 to 1, the intensity is also binary, $I_{in} = |g(t)|^2$. The spectrum of the input signal is given by,

$$\begin{aligned} G_{in}(u) &= \left[\alpha \sum_{q=-\infty}^{\infty} \text{sinc}(\alpha q) \delta\left(u - \frac{q}{\Lambda}\right) \right]_{u=\frac{x''}{\lambda f}} \\ &\rightarrow G_{in}(x'') = \alpha \sum_{q=-\infty}^{\infty} \text{sinc}(\alpha q) \delta\left(x'' - \frac{\lambda f q}{\Lambda}\right), \end{aligned} \quad (2)$$

and is shown in Figure 2.

The ATF of the system is,

$$H = \text{rect}\left(\frac{x'' - x_o}{d}\right) + \text{rect}\left(\frac{x'' + x_o}{d}\right), \quad (3)$$

where x_o is the lateral shift (2cm) and d is the aperture diameter (also 1cm). We compute the OTF, \hat{H} , of the optical system graphically as shown in Figure 3. The OTF is the normalized cross-correlation of the ATF of the system.

The output field spectrum is given by,

$$\begin{aligned} G_{out} &= \hat{H}G_{in} \\ &= \frac{1}{3}\delta(x'') - \frac{\sqrt{3}}{\pi 16} \left[\delta\left(x'' - \frac{\lambda f 4}{\Lambda}\right) + \delta\left(x'' + \frac{\lambda f 4}{\Lambda}\right) \right]. \end{aligned} \quad (4)$$

The output intensity is,




Figure 1: Optical system for problem 5.




Figure 2: Input signal spectrum.




Figure 3: Graphical computation of the OTF.

$$\begin{aligned}
 I_{out} &= F\{G_{out}\} & (5) \\
 &= \frac{1}{3} - \frac{\sqrt{3}}{\pi 8} \left[\frac{e^{-i2\pi \frac{x'4}{\Lambda}} + e^{i2\pi \frac{x'4}{\Lambda}}}{2} \right] \\
 &= \frac{1}{3} - \frac{\sqrt{3}}{\pi 8} \cos\left(2\pi \frac{x'4}{\Lambda}\right).
 \end{aligned}$$

(b) The resulting contrast is,

$$V = \frac{I_{max} - I_{min}}{I_{max} + I_{min}} = 0.2067. \quad (6)$$

(c) Comparing with the results from Lecture 19, p. 24, for the coherent case, the output intensity is,

$$I_{out} = \frac{3}{8\pi^2} + \frac{3}{8\pi^2} \cos\left(2\pi \frac{x'4}{\Lambda}\right),$$

and the contrast $V = 1$.

Problem 5:

Consider the optical system shown in Figure 1. The input transparency is a binary amplitude grating with the same parameters as in problem 4. The operating wavelength is $\lambda = 0.5\mu\text{m}$, and the focal lengths are $f_1 = f_2 = f = 20\text{cm}$. The pupil mask is given by,

$$\begin{aligned} g_{PM}(x'') &= \left[\text{rect}\left(\frac{x''}{a}\right) + (i-1)\text{rect}\left(\frac{x''}{b}\right) \right]_{x''=u\lambda f} \\ &\rightarrow H(u) = g_{PM}(u) \\ &= \text{rect}\left(\frac{u}{\alpha}\right) + (i-1)\text{rect}\left(\frac{u}{\beta}\right), \end{aligned} \quad (1)$$

where $\alpha = a/\lambda f$, $\beta = b/\lambda f$, $a = 3\text{cm}$ and $b = 1\text{cm}$. The magnitude and phase of the pupil mask are shown in Figure 2.

We now compute the coherent PSF,

$$\begin{aligned} h(x) &= \mathcal{F}^{-1}\{H(u)\} \\ &= \alpha\text{sinc}(\alpha x) + (i-1)\beta\text{sinc}(\beta x) \\ &= \alpha\text{sinc}(\alpha x) - \beta\text{sinc}(\beta x) + i\beta\text{sinc}(\beta x). \end{aligned} \quad (2)$$

The incoherent PSF is given by,

$$\begin{aligned} \hat{h}(x) &= |h(x)|^2 = h \cdot h^* \\ &= [\alpha\text{sinc}(\alpha x) - \beta\text{sinc}(\beta x)]^2 + \beta^2\text{sinc}^2(\beta x) \\ &\quad \alpha^2\text{sinc}^2(\alpha x) + 2\beta^2\text{sinc}^2(\beta x) - 2\alpha\beta\text{sinc}(\alpha x)\text{sinc}(\beta x). \end{aligned} \quad (3)$$

The OTF of the system is found by computing the Fourier transform of equation 3,

$$\hat{H}(u) = \alpha\text{triang}\left(\frac{u}{\alpha}\right) + 2\beta\text{triang}\left(\frac{u}{\beta}\right) - 2\left[\text{rect}\left(\frac{u}{\alpha}\right) * \text{rect}\left(\frac{u}{\beta}\right)\right], \quad (4)$$

and is shown in Figure 3.




Figure 1: Optical system for problem 6.




Figure 2: Magnitud and phase of the pupil mask.




Figure 3: OTF and spectrum of the input signal.

From problem 4, the spectrum of the input signal is,

$$G_{in}(u) = \alpha \sum_{q=-\infty}^{\infty} \text{sinc}(\alpha q) \delta\left(u - \frac{q}{\Lambda}\right). \quad (5)$$

To compute the spectrum of the output signal we multiply equations 5 and 6,

$$G_{out}(u) = \frac{1}{3} \delta(u) + \frac{\sqrt{3}}{12\pi} \left[\delta\left(u - \frac{2}{\Lambda}\right) + \delta\left(u + \frac{2}{\Lambda}\right) \right]. \quad (6)$$

The output intensity is given by,

$$\begin{aligned} I_{out} &= \mathcal{F}\{G_{out}\} \\ &= \frac{1}{3} + \frac{\sqrt{3}}{6\pi} \left[\frac{e^{-i2\pi \frac{x'}{\Lambda} 2} + e^{i2\pi \frac{x'}{\Lambda} 2}}{2} \right] \\ &= \frac{1}{3} + \frac{\sqrt{3}}{6\pi} \cos\left(2\pi \frac{x'}{\Lambda}\right). \end{aligned} \quad (7)$$

(b) The resulting contrast is,

$$V = \frac{I_{\max} - I_{\min}}{I_{\max} + I_{\min}} = 0.2757. \quad (8)$$

(c) Finally, we compare our results to those from the coherent case as discussed in Lecture 19, p. 27, where the output intensity is,

$$I_{out}(x') = \left(\frac{1}{3}\right)^2 + \frac{3}{2\pi^2} + \frac{3}{2\pi^2} \cos\left(2\pi\frac{x'2}{\Lambda}\right), \quad (9)$$

and the contrast is $V = 0.2548$.

MIT OpenCourseWare
<http://ocw.mit.edu>

2.71 / 2.710 Optics
Spring 2009

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.