
Astigmatism

Fig. 6.26, 6.27a, 6.28 in Hecht, Eugene. *Optics*. Reading, MA: Addison-Wesley, 2001. ISBN: 9780805385663. (c) Addison-Wesley. All rights reserved. This content is excluded from our Creative Commons license. For more information, see http://ocw.mit.edu/fairuse.



Field curvature and Petzval condition

Fig. 6.29 + text in Hecht, Eugene. Optics. Reading, MA: Addison-Wesley, 2001. ISBN: 9780805385663. (c) Addison-Wesley.

All rights reserved. This content is excluded from our Creative Commons license. For more information, see http://ocw.mit.edu/fairuse.




Figure 6.29 Field curvature. (a) When the object corresponds to σ_0' , the image will correspond to surface Σ_P . (b) The image formed on a flat screen near the paraxial image plane will be in focus only at its center. (c) Moving the screen closer to the lens will bring the edges into focus.

Petzval condition: eliminates field curvature. For two lenses, indices of refraction n₁, n₂, focal lengths f₁, f₂, respectively:

$$\frac{1}{n_1 f_1} + \frac{1}{n_2 f_2} = 0$$

or, equivalently,

$$n_1 f_1 + n_2 f_2 = 0 (6.44)$$

This is the so-called **Petzval condition**. As an example of its use, suppose we combine two thin lenses, one positive, the other negative, such that $f_1 = -f_2$ and $n_1 = n_2$. Since

$$\frac{1}{f} = \frac{1}{f_1} + \frac{1}{f_2} - \frac{d}{f_1 f_2}$$
 [6.8]

$$f = \frac{f_1^2}{d}$$







MIT 2.71/2.710 03/02/09 wk5-a- 12

Tangential, sagittal and Petzval image surfaces

Fig. 6.31a in Hecht, Eugene. *Optics*. Reading, MA: Addison-Wesley, 2001. ISBN: 9780805385663; Fig. 9R in Jenkins, Francis A., and Harvey E. White. *Fundamentals of Optics*. 4th ed. New York, NY: McGraw-Hill, 1976. ISBN: 9780070323308. (c) McGraw-Hill and Addison-Wesley. All rights reserved. This content is excluded from our Creative Commons license. For more information, see http://ocw.mit.edu/fairuse.










Distortion

Fig. 6.33a,b,c in Hecht, Eugene. *Optics*. Reading, MA: Addison-Wesley, 2001. ISBN: 9780805385663.; Fig. 9U in Jenkins, Francis A., and Harvey E. White. *Fundamentals of Optics*. 4th ed. New York, NY: McGraw-Hill, 1976. ISBN: 9780070323308. (c) McGraw-Hill and Addison-Wesley. All rights reserved. This content is excluded from our






Optical design




Exact ray-tracing



ray scatter diagram (⇔ failure to perfectly focus)



Optical design



Surface name	Curvature	Index to the right	Distance to next element
S0	Inf	1.0	0.1
SI	21.6	1.54	0.001
S2	-21.6	1.0	0.1
S3	•••	•••	•••
S4	•••	•••	•••



Features of optical design software

- Databases of common lenses and elements sold by vendors
- Simulate aberrations and ray scatter diagrams for various points along the field of the system
- Standard optical designs (e.g. achromatic doublet, Cooke triplet)
- Permit optimization of design parameters (e.g. curvature of a particular surface or distance between two surfaces) vs designated functional requirements (e.g. field curvature and astigmatism coefficients)
- Also account for diffraction by calculating the modulation transfer function (MTF) at different points along the field



Optical design software vendors

- Zemax
- Code V
- Oslo
- acos
- specialized shops

Screenshots of optical design software removed due to copyright restrictions.




ZEMAX® Demonstration

Commercial ray tracing software: Code V®, ZEMAX®, OSLO®


Ray tracing based on matrix method

$$\left(\begin{array}{cc} 1 & -(n'-n)/R \\ 0 & 1 \end{array}\right), \quad \left(\begin{array}{cc} 1 & 0 \\ D/n & 1 \end{array}\right)$$


Lens, illumination, imaging system design
Various analysis including (PSF, MTF, OTF, aberration, etc)
Optimization and tolerance analysis



Digital Projectors



Imaging system




interferometer

Courtesy of ZEMAX. Used with permission.

How to input?

Inputs: Radius, thickness, glass (air/glass/mirror),



surface	radius	thickness	glass	
0	infinity	d _o		
1	R_1	d ₁	BK7	
2	R_2	d ₂		
3	R_3	d ₃	BK7	

Sometimes $d_0 \approx infinity$

System parameters: wavelength, field (object height/angle), ...

1. supp. Lecture 3-b example






Figure 1


$$s' = 30 \text{ mm}$$
 $M_T = -4$

2. Telescope





Primary mirror: 2.5 m diameter



Spherical aberrations!!



Photo courtesy NASA Image of the galaxy M100 before (left) and after (right) the Hubble Space Telescope's corrective optics were installed.

3. Cooke triplet optimization




Image from Wikimedia Commons, http://commons.wikimedia.org


a negative flint glass lens in the centre tow positive crown glass lenses on both sides

- photographic lens design designed and patented in 1893 by Dennis Taylor
- the first lens system that allows elimination of most of the optical distortion/ aberration at the outer edge of lenses.

- Least square optimization
 - 1. Select variable (thickness, radius, etc.)
 - 2. Define Merit (or object or cost) function with constraints e.g. minimize aberrations,
 - e.g. total length of the system, thickness of lenses, etc.
 - 3. Find parameters that minimize merit function

Gradient Index (GRIN) optics: radial quadratic

Radial index profile: fadril ation dp ion exl hange




- Diffusion driven \rightarrow parabolic index profile $n(r) = n_{\rm max} \left(1 \frac{\alpha r^2}{2}\right)$
- Index contrast n_{max} - $n_{\text{min}} \equiv \Delta n \sim 0.1$ (commercial)

• Focal length
$$f = \frac{1}{n_{\max} \alpha d}$$



Paraxial focusing by a thin quadratic GRIN lens



Consider a ray from infinity entering the GRIN at elevation r. If focusing is to be achieved, this ray must meet the on–axis ray at a distance f from the exit face; therefore, their optical paths must be equal according to Fermat's principle.

For the on–axis ray,

$$OPL(r = 0) = n_{max}d + f.$$

For the ray at elevation r,

OPL
$$(r) \approx n_{\text{max}} \left(1 - \frac{\alpha r^2}{2}\right) d + \sqrt{r^2 + f^2},$$

where we have neglected the small elevation decline due to the bending of the ray inside the GRIN.

Applying Fermat's principle in the paraxial approximation,

$$n_{\max}d + f \approx n_{\max}\left(1 - \frac{\alpha r^2}{2}\right)d + \sqrt{r^2 + f^2} \Rightarrow$$

$$f + \frac{n_{\max}\alpha d}{2}r^2 \approx \sqrt{r^2 + f^2} \approx f\left(1 + \frac{r^2}{2f^2}\right) \Rightarrow$$


$$\frac{n_{\max}\alpha d}{2}r^2 \approx \frac{r^2}{2f} \Rightarrow$$

$$f \approx \frac{1}{n_{\max}\alpha d}.$$



Gradient Index (GRIN) optics: axial

Rxial index profile: fadril ation dp elding & grinding



R Stack


R Meld

R Grind & polish to a sphere

Result: Spherical refractive surface with axial index profile n(z)




Correction of spherical aberration by axial GRIN lenses





Generalized GRIN: what is the ray path through arbitrary *n*(*r*)?




Fermat's principle:

The path Γ that the ray follows is such that the value of the path integral of refractive index $n(\mathbf{r})$ along Γ is smaller than all other possible paths Γ' .

Let's take a break from optics ...



Mechanical oscillator



Potential energy: $V = \frac{1}{2}kq^2$.

Kinetic energy:
$$T = \frac{1}{2}m\dot{q}^2 = \frac{1}{2}\frac{p^2}{m}$$
,

where $p \equiv m\dot{q}$ is the momentum.

Since there is no dissipation, the total energy

$$H = T + V$$

must be conserved.



Introduction to the Hamiltonian formulation of dynamics

The Hamiltonian formulation is a set of differential equations describing the trajectories of particles that are subject to a potential (force.) The trajectory is described in terms of the particle position $\mathbf{q}(t)$ and momentum $\mathbf{p}(t)$. The <u>Hamiltonian</u> is the total energy, *i.e.* the sum of kinetic and potential energies, and it is conserved if there is no dissipation in the system. For example, for a harmonic oscillator the Hamiltonian is expressed as

$$H(\mathbf{q}, \mathbf{p}) = \frac{\mathbf{p}^2}{2m} + \frac{k\mathbf{q}^2}{2}.$$
 (1)

The first term is the kinetic energy for a particle of mass m, and the second term is the potential energy for linear spring constant k.

The Hamiltonian equations in general are

$$\frac{\mathrm{d}\mathbf{q}}{\mathrm{d}t} = \frac{\partial H}{\partial \mathbf{p}},\tag{2}$$

$$\frac{\mathrm{d}\mathbf{p}}{\mathrm{d}t} = -\frac{\partial H}{\partial \mathbf{q}}.\tag{3}$$

The expressions on the right-hand side are the gradients of the Hamiltonian with respect to the vectors \mathbf{p} and \mathbf{q} , respectively.

Let us consider the simplest case of a one–dimensional harmonic oscillator. In this case the position and momentum are scalars q, p. The Hamiltonian equations become

$$\frac{\mathrm{d}q}{\mathrm{d}t} = \frac{p}{m}$$

$$\frac{\mathrm{d}p}{\mathrm{d}t} = -kq.$$

$$\Rightarrow \frac{\mathrm{d}^2q}{\mathrm{d}t^2} = \frac{1}{m}\frac{\mathrm{d}p}{\mathrm{d}t} = -\frac{k}{m}q \Rightarrow \frac{\mathrm{d}^2q}{\mathrm{d}t^2} + \frac{k}{m}q = 0.$$
(4)

We have arrived at the familiar 2nd-order harmonic differential equation. For example, assuming a particle that is initially at position $q(t=0) = q_0$ and at rest, p(t=0) = 0, the solution to the Hamiltonian equations is

$$q(t) = q_0 \cos\left(\sqrt{\frac{k}{m}}t\right), \tag{5}$$

$$p(t) = -q_0 \sqrt{km} \sin\left(\sqrt{\frac{k}{m}}t\right). \tag{6}$$

The solution set $\{q(t), p(t)\}$ is the <u>trajectory</u> of the particle. The motion represented by the trajectory that we found is clearly a harmonic oscillation.



MIT OpenCourseWare http://ocw.mit.edu

2.71 / 2.710 Optics Spring 2009

For information about citing these materials or our Terms of Use, visit: http://ocw.mit.edu/terms.